ENDOPRESS 442



DEVICE FOR LYMPH DRAINAGE



De EndoPress 442 is the whisper quiet pressotherapy device of Enraf-Nonius, for effective and comfortable treatment of lymfdrainage.

The EndoPress 442 offers several programmes, with a great variation in the possible sequence in which the segments are raised to the set pressure values. This approach makes it possible to apply various lymph drainage techniques with the EndoPress 442. This is exactly what makes the EndoPress 442 so unique. The pressure can be set quickly and exactly at a value between 20-150 mmHg for the entire compression garment or even for each individual segment.

- The pressure is adjustable per each segment
- The cuff contains seven (arm gasket) or nine (leg gasket) segments, the pressure build-up can be set per segment
- A silent and powerful compressor
- Simple operation through graphic LCD-screen
- More than 15 pre-programmed sequences
- 50 freely programmable sequences
- · Offers great comfort to patient and therapist

LYMPHDRAINAGE

Also called pressotherapy, is the stimulation of the lymphcirculation through a specific, subtle massage, whereby fluid is removed and thus the waste products that occur in and between cells.

ENDOPRESS 442







TECHNICAL SPECIFICATIONS

Mains voltage:

Maximum power consumption: LCD display graphics: Pressure setting:

Programmable treatment time: Output connectors (parallel):

Pre-programmed protocols:
Freely programmable protocols:

Dimensions (wxdxh): Weight: 230 VAC 50-60 Hz ±15% 115 VAC 50-60 Hz ±15%

220 VA 240x128 pixels 20-150 mmHg

increasing to 30 minutes

2 >15 50

39x40x93 cm approx. 45kg

1442911 ENDOPRESS 442



STANDARD ACCESSORIES

1442810 Dummy block EndoPress 442 3444298 Mains cable 230V-EUR

1442752 Operation manual EndoPress 442

OPTIONAL ACCESSORIES

1442800 Compression garment for leg, 9 segments 1442801 Compression garment for arm, 7 segments







ENRAF-NONIUS P.O. Box 12080 3004 GB Rotterdam The Netherlands T.: +31-(0)10 - 203 06 00 E: info@enraf-nonius.nl www.enraf-nonius.com